

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A solar powered lighting assembly for attachment to an eaves trough mounted on an outer wall surface, said lighting assembly comprising:
  - (a) a lamp;
  - (b) a rechargeable power source coupled to said lamp to provide operational power to said lamp;
  - (c) a solar panel assembly connected to the rechargeable power source to provide electrical power for recharging the rechargeable power source;
  - (d) a mounting bracket coupled to the inside surface of the eaves trough for supporting said rechargeable power source and said solar panel assembly; and
  - (e) a connector arm coupled to said lamp, said connector arm containing at least one wedge-shaped protrusion for securing the connector arm ~~being adapted to be removeably coupled in~~ between said eaves trough and said outer wall surface.
2. (Original) The lighting assembly of claim 1, wherein said lamp further comprises a reflector for focusing the light emitted by said lamp.
3. (Original) The lighting assembly of claim 1, wherein said rechargeable power source further comprises an LED charge indicator for indicating that the energy supplied by solar panel array is charging said rechargeable power source.
4. (Cancelled).

5. (Original) The lighting assembly of claim 1, wherein the vertical position of said connector can be adjusted by moving said connector arm vertically between said eaves trough and said outer wall surface.
6. (Cancelled).
7. (Original) The lighting assembly of claim 1, wherein said lamp is rotatably coupled to said connector arm such that the position of lamp relative to the connector arm can be manually adjusted.
8. (Currently amended) A lighting assembly for attachment to an eaves trough mounted on an outer wall surface, said lighting assembly comprising:
  - (a) a lamp;
  - (b) a power source connected to said lamp to provide operational power to said lamp; and
  - (c) a connector arm coupled to said lamp, said connector arm containing at least one wedge-shaped protrusion for securing the connector arm ~~being adapted to be removeably coupled in~~ between said eaves trough and said outer wall surface such that said lamp is positioned to provide light on the outer wall surface.
9. (Original) The lighting assembly of claim 8, wherein said lamp further comprises a reflector for focusing the light emitted by said lamp.
10. (Original) The lighting assembly of claim 8, wherein the vertical position of said connector can be adjusted by moving said connector arm vertically between said eaves trough and said outer wall surface.
11. (Cancelled).

12. (Original) The lighting assembly of claim 8, wherein said lamp is rotatably coupled to said connector arm such that the position of lamp relative to the connector arm can be manually adjusted.

13. (Currently amended) A kit for assembling a solar powered lighting assembly for attachment to an eaves trough mounted on an outer wall surface, said kit comprising:

- (a) a lamp;
- (b) a rechargeable power source adapted to be coupled to said lamp to provide operational power to said lamp;
- (c) a solar panel assembly adapted to be coupled to the rechargeable power source to provide electrical power for recharging the rechargeable power source;
- (d) a mounting bracket adapted to be coupled to the inside surface of the eaves trough for supporting said rechargeable power source and said solar panel assembly; and
- (e) a connector arm adapted to be coupled to said lamp, said connector arm containing at least one wedge-shaped protrusion for securing the connector arm ~~also being adapted to be removeably coupled in~~ between said eaves trough and said outer wall surface.